





**Ergebnis: 404.8 (387)**  
**Serien: 102.5 99.3 100.7 102.3**  
**Zähler: 27 13 0 0 0 0 0 0 0 0**  
**Innenzehner: 22**  
**weiteste: 481 (22), 399 (24), 397 (17)**  
**beste Teiler 36.6 (27.) 74.8 (2.) 87.6 (23.)**  
**Trefferlage 0.23 mm links, 0.30 mm hoch**  
**Streuwert 1.64, horizontal: 1.81, vertikal: 1.45**




**Serie 1:**  
 10.1 ←                      10.7 \*                      10.2 \*                      10.5 \*                      9.9 →  
 10.2 \*                      10.3 \*                      9.9 →                      10.5 \*                      10.2 \*  
**beste Teiler 74.8 (2.) 107.6 (9.) 123.4 (4.)**  
**Trefferlage 0.47 mm rechts, 0.57 mm tief**  
**Streuwert 1.30, horizontal: 1.49, vertikal: 1.09**



**Serie 2:**  
 10.2 \*                      9.9 ↘                      10.5 \*                      10.0 ←                      9.7 ↑  
 9.8 ↘                      9.4 ←                      10.5 \*                      9.7 ↘                      9.6 ↖  
**beste Teiler 101.8 (18.) 115.3 (13.) 200.1 (11.)**  
**Trefferlage 1.22 mm links, 0.56 mm hoch**  
**Streuwert 1.79, horizontal: 1.92, vertikal: 1.67**





**Serie 3:**  
 9.9 ↘                      9.0 ↘                      10.6 \*                      9.4 ←                      10.6 \*  
 10.1 ↘                      10.8 \*                      10.0 ↘                      10.4 \*                      9.9 →  
**beste Teiler 36.6 (27.) 87.6 (23.) 94.3 (25.)**  
**Trefferlage 0.64 mm links, 0.40 mm hoch**  
**Streuwert 1.85, horizontal: 1.99, vertikal: 1.70**




**Serie 4:**  
 10.4 \*                      10.3 \*                      10.3 \*                      9.6 ↘                      10.1 ←  
 10.2 \*                      10.5 \*                      10.2 \*                      10.5 \*                      10.2 \*  
**beste Teiler 101.1 (37.) 118.1 (39.) 127.4 (31.)**  
**Trefferlage 0.47 mm rechts, 0.80 mm hoch**  
**Streuwert 1.22, horizontal: 1.41, vertikal: 1.00**

Unterschrift des Schützen


Ergebnis: **398.0** (381)  
 Serien: 99.1 101.3 99.1 98.5  
 Zähler: 21 19 0 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 456 (21), 443 (2), 439 (24)  
 beste Teiler 18.7 (11.) 109.1 (12.) 110.6 (38.)  
 Trefferlage 0.02 mm rechts, 0.47 mm tief  
 Streuwert 1.95, horizontal: 2.22, vertikal: 1.64




Serie 1:  
 10.0 → 9.2 → 9.5 ↘ 10.4 \* 9.8 ↘  
 9.3 ↘ 10.0 ↙ 10.2 \* 10.5 \* 10.2 \*  
 beste Teiler 122.9 (9.) 129.7 (4.) 181.0 (8.)  
 Trefferlage 1.01 mm rechts, 1.25 mm tief  
 Streuwert 1.74, horizontal: 2.32, vertikal: 0.84



Serie 2:  
 10.9 \* 10.5 \* 9.8 ↘ 10.1 ← 9.8 →  
 10.4 \* 10.4 \* 9.9 ↙ 9.3 ↙ 10.2 \*  
 beste Teiler 18.7 (11.) 109.1 (12.) 135.0 (16.)  
 Trefferlage 0.38 mm links, 0.36 mm tief  
 Streuwert 1.71, horizontal: 1.68, vertikal: 1.74





Serie 3:  
 9.1 ← 10.3 \* 9.9 ↙ 9.2 ↘ 10.3 \*  
 9.4 ↓ 9.9 ↙ 10.1 ↘ 10.5 \* 10.4 \*  
 beste Teiler 114.7 (29.) 150.3 (30.) 151.8 (22.)  
 Trefferlage 0.49 mm links, 1.38 mm tief  
 Streuwert 1.84, horizontal: 2.11, vertikal: 1.53




Serie 4:  
 9.3 → 10.2 \* 9.2 ↘ 10.3 \* 9.3 →  
 9.9 ↘ 10.1 ↘ 10.5 \* 9.9 ↑ 9.8 ←  
 beste Teiler 110.6 (38.) 159.6 (34.) 194.9 (32.)  
 Trefferlage 0.04 mm links, 1.08 mm hoch  
 Streuwert 2.05, horizontal: 2.67, vertikal: 1.12

Unterschrift des Schützen


**Ergebnis: 409.2 (391)**  
**Serien:** 103.5 102.5 102.0 101.2  
**Zähler:** 31 9 0 0 0 0 0 0 0 0  
**Innenzehner:** 24  
**weiteste:** 369 (27), 356 (34), 347 (28)  
**beste Teiler** 6.3 (5.) 43.2 (7.) 43.9 (25.)  
**Trefferlage** 0.20 mm rechts, 0.28 mm hoch  
**Streuwert** 1.42, horizontal: 1.60, vertikal: 1.23




**Serie 1:**  
 10.4 \* 10.1 ↗ 10.0 ← 10.4 \* 10.9 \*  
 9.9 ↙ 10.8 \* 10.2 \* 10.4 \* 10.4 \*  
**beste Teiler** 6.3 (5.) 43.2 (7.) 126.1 (1.)  
**Trefferlage** 0.25 mm links, 0.02 mm tief  
**Streuwert** 1.22, horizontal: 1.21, vertikal: 1.22



**Serie 2:**  
 9.8 ↘ 10.5 \* 10.1 ↖ 10.4 \* 10.2 \*  
 10.6 \* 10.3 \* 9.8 ↘ 10.5 \* 10.3 \*  
**beste Teiler** 90.1 (16.) 108.0 (12.) 112.1 (19.)  
**Trefferlage** 0.10 mm rechts, 0.40 mm hoch  
**Streuwert** 1.35, horizontal: 1.44, vertikal: 1.25



**Serie 3:**  
 10.1 ↗ 9.9 ↗ 10.7 \* 10.4 \* 10.8 \*  
 10.3 \* 9.5 → 9.6 → 10.4 \* 10.3 \*  
**beste Teiler** 43.9 (25.) 75.3 (23.) 131.6 (29.)  
**Trefferlage** 0.90 mm rechts, 0.54 mm hoch  
**Streuwert** 1.41, horizontal: 1.57, vertikal: 1.22





**Serie 4:**  
 10.3 \* 9.7 ← 10.0 ↘ 9.5 ↖ 10.7 \*  
 9.6 ↗ 10.7 \* 10.0 → 10.1 ↖ 10.6 \*  
**beste Teiler** 62.2 (37.) 72.4 (35.) 86.3 (40.)  
**Trefferlage** 0.04 mm rechts, 0.19 mm hoch  
**Streuwert** 1.73, horizontal: 2.05, vertikal: 1.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390.7** (373)  
 Serien: 95.1 98.6 99.4 97.6  
 Zähler: 17 20 2 1 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 778 (30), 560 (7), 553 (6)  
 beste Teiler 31.2 (40.) 62.3 (32.) 85.6 (10.)  
 Trefferlage 0.55 mm links, 0.06 mm hoch  
 Streuwert 2.38, horizontal: 2.34, vertikal: 2.42




Serie 1:  
 9.5 ↖ 9.9 ↖ 9.3 ↗ 9.4 ↑ 10.4 \*  
 8.7 ↑ 8.7 ↖ 9.4 ↖ 9.2 ↖ 10.6 \*  
 beste Teiler 85.6 (10.) 138.6 (5.) 268.0 (2.)  
 Trefferlage 1.78 mm links, 1.43 mm hoch  
 Streuwert 2.35, horizontal: 1.99, vertikal: 2.66



Serie 2:  
 9.3 ↖ 10.4 \* 10.5 \* 10.1 ↖ 9.0 ↑  
 9.2 ↗ 9.9 ↖ 10.4 \* 9.3 ↓ 10.5 \*  
 beste Teiler 116.4 (20.) 118.0 (13.) 134.8 (12.)  
 Trefferlage 1.05 mm links, 0.37 mm tief  
 Streuwert 2.12, horizontal: 1.66, vertikal: 2.49



Serie 3:  
 10.1 ↖ 10.5 \* 10.1 ↑ 9.9 ↗ 9.7 ↖  
 10.5 \* 10.5 \* 10.3 \* 10.0 ← 7.8 ↖  
 beste Teiler 106.8 (22.) 108.5 (26.) 123.8 (27.)  
 Trefferlage 0.12 mm rechts, 0.13 mm hoch  
 Streuwert 2.33, horizontal: 2.62, vertikal: 2.01





Serie 4:  
 9.8 → 10.7 \* 9.6 ↖ 9.7 ↖ 10.2 \*  
 9.0 ↗ 9.3 ← 9.3 ↖ 9.2 ↓ 10.8 \*  
 beste Teiler 31.2 (40.) 62.3 (32.) 195.8 (35.)  
 Trefferlage 0.47 mm rechts, 0.94 mm tief  
 Streuwert 2.35, horizontal: 2.55, vertikal: 2.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **406.9** (390)  
 Serien: 102.0 101.5 102.9 100.5  
 Zähler: 30 10 0 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 451 (33), 418 (6), 387 (40)  
 beste Teiler 46.6 (30.) 55.3 (35.) 61.0 (4.)  
 Trefferlage 0.28 mm rechts, 0.22 mm hoch  
 Streuwert 1.54, horizontal: 1.78, vertikal: 1.25




Serie 1:  
 10.2 \* 9.7 → 10.0 ↗ 10.7 \* 10.5 \*  
 9.3 → 10.5 \* 10.6 \* 10.2 \* 10.3 \*  
 beste Teiler 61.0 (4.) 88.3 (8.) 103.4 (5.)  
 Trefferlage 0.85 mm rechts, 0.26 mm hoch  
 Streuwert 1.44, horizontal: 1.74, vertikal: 1.06



Serie 2:  
 10.6 \* 10.2 \* 10.3 \* 10.0 ↘ 9.9 →  
 9.7 ↑ 10.2 \* 10.5 \* 10.1 ↗ 10.0 ←  
 beste Teiler 96.1 (11.) 120.8 (18.) 165.2 (13.)  
 Trefferlage 0.43 mm links, 0.77 mm hoch  
 Streuwert 1.43, horizontal: 1.71, vertikal: 1.08



Serie 3:  
 9.9 ↘ 10.6 \* 10.1 ↘ 10.4 \* 9.8 ↑  
 10.4 \* 10.1 ↗ 10.2 \* 10.6 \* 10.8 \*  
 beste Teiler 46.6 (30.) 76.0 (29.) 90.8 (22.)  
 Trefferlage 0.25 mm rechts, 0.35 mm hoch  
 Streuwert 1.34, horizontal: 1.33, vertikal: 1.36





Serie 4:  
 10.1 ↓ 10.5 \* 9.1 → 10.5 \* 10.7 \*  
 10.2 \* 9.8 ← 9.7 → 10.5 \* 9.4 ↗  
 beste Teiler 55.3 (35.) 102.0 (34.) 107.9 (39.)  
 Trefferlage 0.44 mm rechts, 0.50 mm tief  
 Streuwert 1.85, horizontal: 2.26, vertikal: 1.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **401.2** (383)  
 Serien: 101.1 100.9 99.1 100.1  
 Zähler: 26 11 3 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 590 (25), 568 (24), 553 (11)  
 beste Teiler 26.9 (39.) 27.3 (17.) 30.2 (19.)  
 Trefferlage 0.73 mm rechts, 0.44 mm hoch  
 Streuwert 1.88, horizontal: 2.36, vertikal: 1.22




Serie 1:  
 10.2 \* 10.6 \* 9.6 → 9.9 ↘ 10.2 \*  
 10.5 \* 10.1 ↗ 9.9 ↘ 9.8 ↗ 10.3 \*  
 beste Teiler 97.1 (2.) 116.2 (6.) 167.5 (10.)  
 Trefferlage 0.52 mm rechts, 0.71 mm hoch  
 Streuwert 1.55, horizontal: 1.81, vertikal: 1.23



Serie 2:  
 8.7 → 10.2 \* 10.1 ↘ 9.7 → 10.5 \*  
 10.1 ↘ 10.8 \* 9.7 → 10.8 \* 10.3 \*  
 beste Teiler 27.3 (17.) 30.2 (19.) 125.2 (15.)  
 Trefferlage 1.11 mm rechts, 0.45 mm hoch  
 Streuwert 1.71, horizontal: 2.06, vertikal: 1.25



Serie 3:  
 10.4 \* 10.1 ↗ 10.3 \* 8.7 ← 8.6 →  
 10.4 \* 10.6 \* 10.3 \* 9.1 → 10.6 \*  
 beste Teiler 92.3 (27.) 94.6 (30.) 129.0 (21.)  
 Trefferlage 0.42 mm rechts, 0.51 mm hoch  
 Streuwert 2.35, horizontal: 3.16, vertikal: 1.03





Serie 4:  
 9.0 ↘ 9.3 ↗ 9.7 → 10.7 \* 10.4 \*  
 10.4 \* 10.0 ↗ 9.1 ↘ 10.8 \* 10.7 \*  
 beste Teiler 26.9 (39.) 51.1 (34.) 67.8 (40.)  
 Trefferlage 0.87 mm rechts, 0.11 mm hoch  
 Streuwert 2.05, horizontal: 2.51, vertikal: 1.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **407.1** (391)  
 Serien: 99.9 102.6 102.3 102.3  
 Zähler: 31 9 0 0 0 0 0 0 0 0  
 Innenzehner: 24  
 weiteste: 417 (22), 402 (7), 396 (33)  
 beste Teiler 35.2 (17.) 52.1 (40.) 53.9 (38.)  
 Trefferlage 0.12 mm rechts, 0.11 mm tief  
 Streuwert 1.59, horizontal: 1.55, vertikal: 1.63




Serie 1:  
 10.0 → 10.1 ↖ 9.8 ↗ 9.5 → 10.5 \*  
 10.3 \* 9.3 ↑ 10.0 ← 10.0 ↖ 10.4 \*  
 beste Teiler 112.0 (5.) 140.0 (10.) 175.5 (6.)  
 Trefferlage 0.16 mm rechts, 1.00 mm hoch  
 Streuwert 1.74, horizontal: 2.01, vertikal: 1.42



Serie 2:  
 10.6 \* 10.5 \* 10.3 \* 10.2 \* 10.0 ↖  
 10.3 \* 10.8 \* 10.5 \* 9.4 ↓ 10.0 ↓  
 beste Teiler 35.2 (17.) 84.0 (11.) 107.7 (18.)  
 Trefferlage 0.04 mm links, 0.77 mm tief  
 Streuwert 1.36, horizontal: 1.07, vertikal: 1.59





Serie 3:  
 10.0 → 9.3 ↓ 10.6 \* 10.5 \* 9.6 ↓  
 10.7 \* 10.5 \* 10.7 \* 9.7 → 10.7 \*  
 beste Teiler 62.2 (28.) 62.2 (30.) 70.3 (26.)  
 Trefferlage 0.37 mm rechts, 0.58 mm tief  
 Streuwert 1.58, horizontal: 1.42, vertikal: 1.73




Serie 4:  
 10.5 \* 10.2 \* 9.4 ← 10.2 \* 10.2 \*  
 10.7 \* 10.2 \* 10.7 \* 9.5 ↘ 10.7 \*  
 beste Teiler 52.1 (40.) 53.9 (38.) 57.4 (36.)  
 Trefferlage 0.01 mm links, 0.10 mm tief  
 Streuwert 1.57, horizontal: 1.74, vertikal: 1.37

Unterschrift des Schützen


Ergebnis: **402.3** (382)  
 Serien: 101.9 99.8 101.9 98.7  
 Zähler: 24 14 2 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 574 (13), 532 (38), 441 (4)  
 beste Teiler 62.5 (23.) 71.5 (11.) 72.1 (21.)  
 Trefferlage 0.10 mm links, 0.33 mm hoch  
 Streuwert 1.83, horizontal: 2.02, vertikal: 1.60




Serie 1:  
 10.3 \* 9.8 ↖ 10.4 \* 9.2 ↑ 10.1 ↘  
 10.5 \* 9.9 ↑ 10.6 \* 10.5 \* 10.6 \*  
 beste Teiler 98.0 (8.) 100.2 (10.) 103.0 (9.)  
 Trefferlage 0.26 mm rechts, 0.93 mm hoch  
 Streuwert 1.48, horizontal: 1.27, vertikal: 1.67



Serie 2:  
 10.7 \* 10.5 \* 8.7 → 10.5 \* 10.6 \*  
 9.9 ← 9.2 ↙ 9.9 ↘ 9.9 ← 9.9 ↗  
 beste Teiler 71.5 (11.) 90.0 (15.) 110.8 (12.)  
 Trefferlage 0.04 mm links, 0.41 mm tief  
 Streuwert 2.12, horizontal: 2.55, vertikal: 1.56



Serie 3:  
 10.7 \* 10.3 \* 10.7 \* 10.2 \* 9.7 ↗  
 10.2 \* 9.8 ↑ 10.3 \* 10.0 ↘ 10.0 ↓  
 beste Teiler 62.5 (23.) 72.1 (21.) 153.1 (28.)  
 Trefferlage 0.35 mm rechts, 0.38 mm hoch  
 Streuwert 1.51, horizontal: 1.34, vertikal: 1.67



Serie 4:  
 9.2 → 9.9 ↙ 10.4 \* 10.6 \* 10.1 ←  
 10.3 \* 9.8 ↙ 8.8 ↖ 9.6 ↘ 10.0 ↘  
 beste Teiler 94.4 (34.) 138.5 (33.) 170.9 (36.)  
 Trefferlage 0.99 mm links, 0.42 mm hoch  
 Streuwert 2.08, horizontal: 2.56, vertikal: 1.45

Unterschrift des Schützen

Meyton Elektronik